

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	1476	Mark with childs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:34
L8	586	floating adj mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:35
L9	1	l7 and l8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:35
L10	17509	high adj impedance adj state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:36
L11	1	l7 and l10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:36
L12	6214	(345/44-46,76-82).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/31 12:38
L13	3079	(315/169.3).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/31 12:38

L14	904997	(data or source or column) near5 LINE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:40
L15	106	((l10 or float\$3)with L14) and (l12 or l13)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:40
L16	7724	(345/44-46,76-82,92).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/31 12:46
L17	132	((l10 or float\$3)with L14) and (l16 or l13)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:46
L18	16	l17 not l16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:47
L20	9778	((345/44-46,76-82,92) or (315/169.3)).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:54
L22	1	(float\$3 adj mode) with l10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 12:55
S1	60	Mark with childs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 11:58
S2	100670	oled or electroluminescent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 14:40

S3	966018	oled or electroluminescent or led	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 14:42
S4	32	345/76-81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 14:51
S5	3553	(345/76-81).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 14:51
S7	30672	short\$3 near5 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 14:52
S8	175	S7 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 14:52
S9	830	(345/44-46).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:52
S10	60	Mark with childs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:52
S11	30672	short\$3 near5 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:52
S12	2	S11 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:52

S13	142052	threshold adj voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:53
S14	1172994	compensat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:53
S15	3566	S13 near10 S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:53
S16	3553	(345/76-81).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:53
S17	288	S15 and (S9 or S16)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:53
S18	64191	short\$3 with transistor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:54
S19	72	S17 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 15:54
S20	7	"20040252089" "6583775" "6583776" "6859193" "6970149").PN. OR ("7199768").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/24 16:13
S21	354	shorting adj transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 16:16

S22	6	S21 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 16:16
S23	0	S21 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 16:18
S24	208653	short adj circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 16:18
S25	183	S24 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 16:18
S26	17236	between near2 gate near2 drain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 16:22
S27	241	S16 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 16:22
S28	6457	transistor near5 between near2 gate near2 drain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 16:23
S29	241	S28 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 16:23
S30	2	("7184034").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 16:32

S31	58	("20020014628" "20020033718" "20020089496" "20020135309" "20020180369" "20020180719" "20020190177" "20030016191" "20030016198" "20030043090" "20030048669" "20030090447" "20030117352" "20030214465" "20030214466" "20030214522" "20030218584" "20040008166" "20040041752" "20040100202" "20040183769" "20040207615" "20040222749" "20050024298" "20050099371" "20050190177" "5396133" "5504444" "5526058" "5548238" "5714968" "6011529" "6091203" "6169528" "6229506" "6266000" "6339414" "6341275" "6373454" "6411159" "6445367" "6466189" "6486607" "6498596" "6501466" "6528951" "6580408" "6650060" "6744414" "6753654" "6760004" "6798148" "6853370" "6859193" "6864863" "6876350" "6919868" "6919870").PN. OR ("7184034").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/24 16:32
S32	12	("20020196212" "20030011584" "20030178946" "20040056604" "5952789" "6229506" "6580408" "6670773" "6686699" "6806857" "6847171" "7019717").PN. OR ("7187351").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/24 17:59
S33	10	("5519288" "5684368" "5714968" "6229506" "6351078" "6501449" "6501466").PN. OR ("6847171").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/24 18:00

S34	12	("20020196212" "20030011584" "20030178946" "20040056604" "5952789" "6229506" "6580408" "6670773" "6686699" "6806857" "6847171" "7019717").PN. OR ("7187351").URPN.	US_PGPUB; USPAT; USOCR	OR	OFF	2008/10/24 18:00
S36	0	low adj temperature adj polysilicon adj TFT	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:39
S37	0	low with temperature with polysilicon with TFT	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:40
S38	527	low adj temperature adj polysilicon adj TFT	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:40
S39	3562	(345/76-81).CCLS.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:41
S40	49	S39 and S38	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:41
S41	9	("5952854" "6020867" "6239788" "6392255" "6509692" "6570338" "6583775" "6611107" "6734636").PN. OR ("7205965").URPN.	US_PGPUB; USPAT; USOCR	OR	OFF	2008/11/03 09:44
S42	23	("6023259" "6580657" "6583776").PN. OR ("6734636").URPN.	US_PGPUB; USPAT; USOCR	OR	OFF	2008/11/03 09:46

S43	15	("20020195968" "20020196213" "4042854" "4996523" "5302966" "5446344" "5990629" "6028573" "6118220" "6373454" "6636191" "6661397" "6734636" "6989805" "RE37083").PN. OR ("7355571").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/03 09:47
S44	9	("5952854" "6020867" "6239788" "6392255" "6509692" "6570338" "6583775" "6611107" "6734636").PN. OR ("7205965").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/03 09:48
S45	2	("7167169").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:49
S46	2	("6618030").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:50
S47	2	("20050156829").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:51
S48	2	("20040135309").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:58
S49	2	("20040100430").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:59
S50	2	("20040189559").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 10:00

S51	62	Mark with childs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:06
S52	106354	oled or electroluminescent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:07
S53	996707	oled or electroluminescent or led	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:07
S54	33	345/76-81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:07
S55	3749	(345/76-81).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:09
S56	31310	short\$3 near5 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:09
S57	3749	(345/76-81).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:09
S58	31310	short\$3 near5 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:09
S59	190	S58 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:09

S60	2207	storage adj transistor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:10
S61	1	S59 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:10
S62	2	("20030058687").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:18
S63	48155	storage adj capacitor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:28
S64	45	345/44-46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:28
S65	847	(345/44-46).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:29
S67	17	S53 and S58 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:30
S68	22	("20010029070" "20030020413" "5095248" "5359341" "5581160" "5673058" "6037719" "6229506" "6246180" "6278131" "6380687" "6501466").PN. OR ("6909242").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/06 10:30

S69	15904	uniform with brightness	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:33
S70	4441	S53 and S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:34
S73	63	S70 and S63 and (S57 or S65)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:35
S74	72163	stor\$4 adj capacitor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:38
S75	549	S69 and S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:38
S76	88	S70 and S74 and (S57 or S65)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:39
S77	2	("6229506" "6437839").PN. OR ("7435992").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/06 10:40
S78	142621	stor\$4 with capacitor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:41
S79	109	S70 and S78 and (S57 or S65)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 10:41

S80	2	("20050264492").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/25 16:22
S81	388132	(data or signal)adj line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:27
S82	1007	float\$3 adj mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:28
S83	13	S81 same S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:28
S84	1419	mark with childs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:29
S85	65	(mark with childs).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:29
S86	9	("20020021293" "20020033718" "4528480" "5952789" "6188375" "6448718").PN. OR ("6888318").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/25 16:32
S87	160642	threshold adj voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:34
S88	4974956	measur\$5 or compensat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:34

S89	4552	((345/92) or (315/169.3)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/25 16:35
S90	20703	S87 same S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:36
S91	215	S89 and S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:36
S92	419162	(data or signal or source) adj line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:43
S93	9646	measur\$3 with S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:48
S94	19	S93 and S87 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 16:49
S95	14	("20030020413" "20040263499" "20050190133" "20050242746" "20050275647" "5594463" "5952789" "6518962" "6633135" "6710548").PN. OR ("7046220").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/25 16:55
S96	1452	short\$3 adj transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 17:21

S97	3	S91 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 17:21
S98	1637532	(data or signal or source) with line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 17:23
S99	18	S82 with S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 17:23
S100	36	S98 same S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 17:33
S101	23	S100 not S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 17:33
S102	47269	driv\$3 adj transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 10:42
S103	71856	PMOS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 10:42
S104	1409	S102 with S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 10:43
S105	1239019	compensat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 10:43

S106	153869	threshold adj voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 10:43
S107	4583	S105 with S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 10:43
S108	42	S104 and S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 10:44
S109	8	("5952789" "6373454" "6529178").PN. OR ("7463222").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/26 11:05
S110	6669	measur\$5 with S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:08
S111	65	S102 same S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:08
S112	9	("20020030647" "20020038998" "20020054003" "20020089496" "20030052843" "20030098828" "20050104814" "20050156829" "7061452").PN. OR ("7564433").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/26 11:26
S113	1637532	(data or signal or source) with line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:37
S114	1570	stor\$3 with S106 with S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:37

S115	8798	((345/76-82,92) or (315/169.3)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 11:39
S116	137	S114 and S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:39
S117	1930434	(data or signal or source or column)with (line or conductor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:41
S118	1602	stor\$3 with S106 with S117	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:41
S119	137	S118 and S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:41
S120	24	(stor\$3 adj S106) with S117	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:42
S121	17133	high adj impedance adj state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:59
S122	2320	S117 with S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 11:59
S123	174	S115 and S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 12:00

S124	17	S107 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 12:00
S125	15	("20020030647" "20030090481" "20030112205" "20030156102" "20030174152" "6229506" "6760004" "6859193" "6917350" "6919886" "6947019" "7167169" "7193591" "7196681").PN. OR ("7274345").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/26 12:04
S126	10	("4928095" "5670792" "5896117" "6011529" "6400348").PN. OR ("6919886").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/26 12:07
S129	8	("20020021293" "20020118150" "20040017161" "5751279").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 09:18
S130	8	("20020021293" "20020118150" "20040017161" "5751279").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:03
S131	87267	high adj impedance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:45
S132	0	S130 and S131	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:46
S133	195635	(source or data) adj line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:46

S134	1882	S131 same S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:46
S135	958	S131 with S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:47
S136	4240	(345/76-81).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/30 14:47
S137	17	S135 and S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:47
S138	3	("2003233347").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/30 16:02
S139	2	("20030040149").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/30 16:07
S140	27	S134 and S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:15
S141	10	S140 not S137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:16
S142	3466	(source or data) with line with float\$3 with state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:25

S143	5551	(source or data) with line with (float\$3 or impedance) with state	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:25
S144	64	S136 and S143	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:25
S145	46	S144 not S140	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:26
S146	2	("6774577").PN.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/30 16:50
S147	4	"20020089357" "6232946" "6380913").PN. OR ("6774577").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2009/12/30 16:50
S148	5794	(data or source or column) adj capacitance	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 09:14
S149	165527	threshold adj voltage	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 09:14
S150	91	S148 with S149	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 09:14
S151	4242	(345/76-81).CCLS.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/31 09:14

S152	10	S150 and S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 09:14
S153	397	column adj capacitance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 09:16
S154	11	S149 same S153	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 09:16
S155	17509	high adj impedance adj state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 09:19
S156	904997	(data or source or column) near5 LINE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 09:19
S157	982	S155 with S156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 09:20
S158	293	S149 and S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 09:21

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	0	(data with line with switchable with between with voltage with driv\$3 with mode with float\$3 with high with impedance with state with allow\$3 with gate with driv\$3 with transistor with address\$2 with pixel).clm.	USPAT; UPAD	OR	ON	2009/12/31 12:51

L21	4940	((345/44-46,76-82,92) or (315/169.3)).ccls.	USPAT; UPAD	:OR	ON	2009/12/31 12:54
L24	1	float\$3 adj mode)same (high adj impedance adj state)	USPAT; UPAD	:OR	ON	2009/12/31 12:56
L25	1	(float\$3 adj mode)same (high adj impedance adj state)	US-PGPUB; USPAT; UPAD	:OR	ON	2009/12/31 12:57
L26	8	float\$3 adj mode)and (high adj impedance adj state)	US-PGPUB; USPAT; UPAD	:OR	ON	2009/12/31 12:58
S127	0	electroluminescent with display with device with drive with transistor with address with shorting with measuring with voltage with data with line with driving with mode with floating with placed with high with impedance with state with float with voltage with gate with addressed with pixel).clm.	US-PGPUB; USPAT; UPAD	:OR	ON	2009/09/08 16:04
S128	0	allowing with data with line with float with placed with high with impedance with voltage with gate with drive with transistor with addressed with pixel).clm.	US-PGPUB; USPAT; UPAD	:OR	ON	2009/09/08 16:06

12/31/2009 1:01:20 PM

C:\Documents and Settings\hzhou\My Documents\EAST\Workspaces\10596868.wsp